# **DECLARATION UNDER 37 C.F.R § 1.132**

Sir:

I, Wayne Comper, hereby declare and say as follows:

- 1. That I am an Australian citizen, residing in Victoria, Australia, and am the inventor of the invention described and claimed in application Serial No. 09/892,797.

  My curriculum vitae is attached as Exhibit A.
- 2. I have read and am familiar with the disclosure and pending claims of the above-captioned Application, as well as the issues raised in the pending final Office Action dated May 31, 2002.
- I declare further that the following experiments were conducted at my direction and under my supervision and that the test results are true and correct to the best of my knowledge.

Two groups of rats were studied: I) untreated controls and ii) rats with experimental diabetes induced by administration of streptozotocin (STZ). Each of the rats was implanted with an osmotic pump containing radiolabelled IgG or transferrin. Steady state levels of radiolabelled protein in plasma were observed seven days after implantation of the osmotic pump. At that time collections were made of both urine and plasma. Estimates of the specific activity of protein in plasma were made by analysis of radioactivity and immuno-rective material detected in the plasma. Immuno-unreactive (ghost) material in urine was estimated by the amount of radioactivity eluting at the position of the intact protein on a size exclusion column and specific activity of the protein in plasma.

The results for transferrin are set forth in the bar graph attached hereto. The amount of transferrin detected by immunoassay in both control animals and diabetic animals is about six times less than the amount of ghost transferrin detected. The amount of ghost transferrin estimated to be present in the urine of diabetic mice was significantly higher than in control rats, i.e., about a 47% increase in diabetic rats was observed. In contrast, the amount of intact transferrin detected by conventional radioimmune assay in the diabetic animals was not significantly different from that observed in the control animals.

The results obtained for IgG were similar to that of transferrin in that the amount of intact IgG detected by conventional radioimmune assay in control and diabetic animals was about the same. However, in both sets of animals, the amount of immuno-unreactive (ghost) material was significantly higher than the amount of intact IgG (at least about six times higher). The amount of ghost IgG was not significantly different in control and diabetic rats indicating that changes in IgG content in urine probably occur later than that observed for transferrin in diabetic animals.

# Conclusion

In my opinion, the test results demonstrate that:


(1) The majority of protein present in urine is not detectable by conventional immunoassay. As a result, conventional immunoassays are insufficient to detect renal complications of disease prior to the onset of kidney degeneration.

Detection of immunoreactive and immuno-unreactive protein in a sample (2) provides an accurate protein profile of the sample, which can be used to accurately diagnose renal complications of disease before the onset of kidney degeneration.

I declare further that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

11 September
Date 2002





## CV of Wayne D. Comper

## Present Position

Reader

#### Professional Address

Department of Biochemistry and Molecular Biology, Monash University. Clayton, Victoria 3800, Australia. Phone 61 3 9905 3774 Fax 61 3 9876 5851

# Degrees Held

B.Sc. (Hons 1), Monash University 1971 PhD Monash University 1974 DSc Monash University 1992

## Present Appointment

#### 1991

Reader, Department of Biochemistry, Monash.

#### Previous Appointments

## 1974

Postdoctoral Fellow, Northwestern University Medical School, Chicago, Illinois

#### 1976

Visiting Scientist, Dept Medical Physiology, Uppsalz University, Uppsala, Sweden

#### <u> 1979</u>

Research Fellow, Dept Biochemistry, Monash University

## 1984

Lecturer, Monash University

#### 1988

Visiting Professor, Nephrology Section, Rush Medical School, Chicago, Illinois

#### Scientific Honours

Awarded the 1991 Silver Jubilee Prize for Research at Monash University

#### Nationality

Australian

## Societies

American Society of Nephrology International Society of Nephrology Australian and New Zealand Society of Nephrology

## Invited reviewer of papers in journals

American Journal of Physiol gy Biophysical Chemistry Biophysical Journal ت . بات

Biopolymers
Connective Tissue Research
Diabetes
European Journal of Physiology
Journal of American Society of Nephrology
Kidney International

#### Recent Invited Lectures

July 2001 International conference on 'Many faces of Osteoarthritis' Lake Tahoe USA
August 2000 Chicago USA Proteinuria: Reflector or initiator of renal dysfunction. Satellite meeting to
the International Society of Hypertension.

October 1999 Montecatini Terme, Italy. Kidney, proteins and growth factors.

During 1990-99 invited to give over 20 lectures at international conferences including three Gordon conferences.

## Postgraduate Supervision

Current 5 PhD students and 2 Honours students.

During 1990 -2000 12 PhD students have graduated from the lab.

## Collaborations

Dr G. Bakris, Hypertension Unit, Rush Medical School, Chicago, Illinois

Dr A. Singh, Heldoen Institute. Chicago, Illinois

Dr R. Nelson, NIH. Phoenix, Arizona

Dr D. Nikolic-Paterson, Prof. R. Arkins, Nephrology, Monash Medical Centre

Dr G. Jerums, Endocrinology Unit, Austin Hospital, Melbourne

# LIST OF PUBLICATIONS

# **Thesis**

- Comper, W.D. (1974) The biological function of proteoglycans. Ph.D. thesis, Monash University, Australia. 200pp
- II. Comper, W.D. (1991) Structure and function of extracellular matrices of connective tissues. D.Sc. thesis, Monash University, Australia.

# Books/Editorships

- Comper, W.D. (1981) "Heparin (and related polysaccharides). Structural and Functional Properties", Gordon & Breach Science Publishers, London & New York, 265 pp.
- Comper, W.D.(ed.) (1996) 'Extracellular Matrix. Volume 1. Tissue Function'. Harwood Academic Press, Amsterdam, The Netherlands, 482pp.
- Comper, W.D.(ed.) (1996) 'Extracellular Matrix. Volume 2. Molecular Components and Interactions'. Harwood Academic Press, Amsterdam, The Netherlands, 376pp.

# Chapters in books

- 4. Comper, W.D. and Wik, K-O. (1979) Diffusion of hyaluronate in concentrated solutions. Acta Universitatis Upsaliensis 334, 25 pp.
- Preston, B.N., Laurent, T.C. and Comper, W.D. (1984). "Transport of molecules in connective tissue polysaccharide solutions" in 'Molecular Biophysics of the Extracellular Matrix' (Amott, S., Rees, D.A. and Morris, E.R. eds) Humana Press, Clifton, New Jersey, pp 119-162.
- 6. Comper, W.D. (1984) "Interstitium" in 'Edema: Basic Science and Clinical Manifestations. A comprehensive treatise.' (Staub, N. and Taylor, A. eds) Raven Press, New York, pp 229-262.
- 7. Comper, W.D. (1990) Osmotic and hydraulic flows in proteoglycan solutions in Biomechanics of Diarthrodial Joints (Mow, V.C., Ratdiffe, A. and Woo, S.L.Y. eds), Springer-Verlag, New York, pp 345-362.
- 8. Comper, W.D. (1991) Physicochemical aspects of cartilage extracellular matrix in 'Cartilage Molecular Aspects' (Hall, B.K. and Newman, S.A. eds). Telford Press, New Hampshire pp 59-96.
- 9. Comper, W.D. and Williams, R.P.W. (1992) Mechanism of osmotic flow in Mechanics of Swelling: From Clays of Living Cells and Tissues

- (Karalis, T.K., ed.) NATO ASI Series H, Springer-Verlag, Berlin, 64, 743-762
- Comper, W.D.(1992) Diffusion-convection in biopolymer solutions in Dynamical Phenomena at Interfaces, Surfaces and Membranes (Beysens, D., Boccara, N. and Forgacs, G. eds) Nova Sci. NY, pp 521-542.
- Comper, W.D. and Zamparo, O. (1992) Sedimentation analysis of proteoglycans in Analytical Ultracentrifugation in Biochemistry and Polymer Science. (Harding, S.E., Rowe, A.J. and Horton, J.C. eds), Royal Society of Chemistry, Redwood Press, England, pp 532-548.
- Comper, W.D. and Preston, B. N. (1992) Analytical ultracentrifuge as a tool for diffusion measurements. Cross diffusion effects in ternary polymer:polymer:solvent systems in Analytical Ultracentrifugation in Blochemistry and Polymer Science. (Harding, S.E., Rowe, A.J. and Horton, J.C. eds), Royal Society of Chemistry, Redwood Press, England pp 428-442.
- 13. Comper, W.D. (1995) Evolution and development of extracellular matrices is correlated with the sulfation of matrix macromolecules to form highly variable macroion binding templates in *Interplay of genetic and physical processes in the development of biological form* (Beysens, D., Felix, M-A., Forgacs, G. and Gaill, F. eds.) Les Houches Workshop.World Scientific, Singapore, pp121-127.
- 14. Comper, W.D. (1996) Water. Dynamic aspects in Comper, W.D.(ed.) 'Extracellular Matrix. Volume 2. Molecular Components and Interactions'. Harwood Academic Press, Amsterdam, The Netherlands, pp1-21.
- 15. Comper, W.D., Glasgow, E.F. and Singh, A.K. (1996) The Glomerulus in Comper, W.D.(ed.) 'Extracellular Matrix. Volume 1. Tissue Function'. Harwood Academic Press, Amsterdam, The Netherlands, pp409-441.
- 16. Comper, W.D., Burne, M.J., Osicka, T.M., Pratt, L.M., Smit, M.F. and Vyas, S.V. (1997) New insights into the renal passage of albumin. in Connective Tissue Biology; Integration and Reductionism, Reed, R. and Rubin, K. eds., Portland Press, London, pp253-268.

## Refereed journal Reviews

- 17. Comper, W.D. and Laurent, T.C. (1978) Physiological function of connective tissue polysaccharides. Physiol. Rev. 58, 255-315.
- 18. Laurent, T.C., Preston, B.N., Comper, W.D. and Sundelof, L-0. (1981). "The interactions in concentrated polysaccharide solutions" in 'Gums and Stabilisers for the Food Industry (Phillips, G.O., Wedlock, D.J. and

97%

- Williams, P.A. eds) Pergamon Press (also as (1982) Prog. Food 6, 69-76).
- 19. Comper, W.D. (1982) Collisions in coffee. Chaos in solution. Hemisphere 26, 376-379.
- Comper, W.D. and Preston, B.N. (1984). Rapid polymer transport in concentrated solutions. Adv. Polym. Sci. <u>55</u>, 105-151.
- Comper, W.D. and Williams, R.P.W. (1987) Dynamics of polysaccharide solutions in Interstitial Lymphatic Liquid and Solute Movement (Staub, N.C., J.C. Hogg and A.R. Hargens eds.) Adv. in Microcirculation 13, 43-56.
- 22. Comper, W.D., Williams, R.P.W. and Zamparo, O. (1990). An invited review. Water transport in extracellular matrices. Connective Tissue Research 25, 3-16.
- 23. Comper. W.D. and Glasgow E.F. (1995) Charge selectivity in kidney ultrafiltration. An editorial review. Kidney Int. 47, 1242-1251.

# Original refereed research papers

ا ، بین

- 24. Meyer, F., Comper. W.D. and Preston, B.N. (1971) Model connective tissue systems. A physical study of gelatin gels containing proteoglycan. Biopolymers 10, 1351-1364.
- 25. Comper, W.D. and Preston, B.N. (1974) Model connective tissue systems. A study of polyion-mobile ion and of excluded volume interactions of proteoglycans. Biochem. J. 143, 1-9.
- Comper, W.D. and Preston, B.N. (1975) Model connective tissue systems. Measurement of ion flux across gel membranes containing proteoglycans. J. Coll. & Int. Sci 53, 379-390.
- 27. Comper, W.D. and Preston, B.N. (1975) Model connective tissue systems. Membrane phenomena of gel membranes containing proteoglycans and other polyelectrolytes. J. Coll. & Int. Sci. <u>53</u>, 391-401.
- 28. Comper, W.D., Lisberg, W. and Veis, A. (1976) Diffusion potentials of polyelectrolytes and their possible relationship to biological electrochemical phenomena. J. Coll. & Int. Sci. <u>57</u>, 345-352.
- 29. Comper, W.D. (1977) Electric potentials generated by connective tissue polysaccharides in glass capillaries. Biochim. Biophys. Acta <u>497</u>, 816-819.

212 Der 1999

30. Comper, W.D. and Veis, A. (1977) The mechanism of nucleation for *In vitro* collagen fibril formation. Biopolymers <u>16</u>, 2113-2131.

dated to the

- 31. Comper, W.D. and Veis, A. (1977) Characterization of nuclei in in vitro collagen fibril formation. Biopolymers 16, 2133-2142.
- 32. Comper, W.D. and Laurent, T.C. (1978) On the interaction of dextran and albumin. An estimate of the enthalpic contribution. Biochem. J. 175, 703-708.
- 33. Preston. B.N., Laurent, T.C., Comper, W.D. and Checkley, G.J. (1980) Rapid polymer transport in concentrated solutions through the formation of ordered structures. Nature 287, 499-503.
- 34. Comper, W.D. and Preston, B.N. (1981) On the spontaneous selforganisation of various biopolymer systems to form structured flows. Biochem. Int. 3. 558-564.
- 35. Comper, W.D., DeWitt, M. and Lowther, D. (1981) Effects of antiinflammatory drugs on proteoglycan degradation as studied in rabbit articular cartilage in organ culture. Biochem. Pharmacol. 30, 459-468.
- Preston, B.N., Comper, W.D., Hughes, A.E., Snook, I. and Van Megan, W. (1982) Diffusion of dextran at intermediate concentrations. J. Chem. Soc., Faraday Trans. I. 78, 1209-1221.
- 37. Wik, K-0. and Comper, W.D. (1982) Diffusion of hyaluronate in semidilute solutions. Biopolymers 21, 583-599.
- 38. Comper, W.D., Van Damme, M-P. and Preston, B.N. (1982) Diffusion of tritiated water (HTO) in dextran and water mixtures. J. Chem. Soc., Faraday Trans. 1,78, 3369-3378.
- 39. Van Damme, M-P., Comper, W.D. and Preston, B.N. (1982) Experimental measurements of polymer unidirectional fluxes in polymer and solvent systems with non-zero chemical-potential gradients. J. Chem. Soc., Faraday Trans. I. <u>78</u>, 3357-3367.
- Laurent, T.C., Preston, B.N., Comper, W.D., Checkley, G.J., Edsman. K. and Sundelöf, L-O. (1983) Kinetics of multicomponent transport by structured flow in polymer solutions.
   Studies on a polyvinyl-pyrrolidone-dextran system. J. Phys. Chem. <u>87</u>, 648-654.
- 41. Preston, B.N., Comper, W.D., Laurent, T.C., Checkley, G.J. and Kitchen, R.G. (1983) Kinetics of multicomponent transport by structured flow in polymer solutions. 2. Comparison of various transport techniques. J. Phys. Chem. 87, 655-661.

100-24-2002 2002

- Preston, B.N., Comper, W.D. Checkley, G.J. and Kitchen, R.G. (1983).
   Kinetics of multicomponent transport by structured flow in polymer solutions.
   Effects of varying conditions and molecular components.
   Phys. Chem. 87, 662-667.
- 43. Comper, W.D., Preston, B.N., Laurent, T.C., Checkley, G.J. and Murphy, W.H. (1983) Kinetics of multicomponent transport by structured flow in polymer solutions. 4. Relationships between the formation of structured flows and kinetics of polymer transport. J. Phys. Chem. <u>87</u>, 667-673.
- 44. Comper, W.D., Preston, B.N. and Austin, L. (1983) A paradigm for axonal transport. Neurochem. Res. 8, 943-955.
- 45. Comper, W.D., Checkley, G.J. and Preston, B.N. (1984) Kinetics of multicomponent transport by structured flow in polymer solutions 5. Temary diffusion in the system dextran-poly(vinylpyrrolldone)-water. J. Phys. Chem. 88, 1068-1076.
- 46. Checkley, G.J., Comper, W.D., Edsman, K., Laurent, T.C., Preston, B.N., Sundelöf, L-0 and Wells, J.D. (1984) Rapid transport of macromolecules in polysaccharide systems by means of dissipative structures. Bioheology 21, 33-38.
- 47. Comper, W.D. and Preston, B.N. (1984) Molecular parameters of polymers affecting the stability of interdiffusing fluid layers. J. Coll. Int. Sci. 99, 305-314.
- 48. Comper, W.D., MacDonald, P., Preston, B.N. (1984) Cross diffusion between albumin and dextran. J. Phys. Chem. 88, 6031-5036.
- 49. Harper, G.S., Comper, W.D. and Preston, B.N. (1984) Dissipative structures in proteoglycan solutions. J. Biol. Chem. 259, 10582-10589.
- Daivis, P., Snook, I., Van Megan, W., Preston, B.N. and Comper, W.D. (1984) Dynamic light scattering measurements of diffusion in polymer-polymer-solvent systems. Macromolecules 17, 2376-2380.
- 51. Comper, W.D., Van Damme, M-P. and Preston, B.N. (1985) Kinetics of multicomponent transport by structured flow in polymer solutions. 7. Polysaccharide-saccharide system. J. Phys. Chem. 89, 128-134.
- Comper, W.D., Checkley, G.J. and Preston, B.N. (1985) Kinetics of multicomponent transport by structured flow in polymer solutions. 8. Further studies on poly(vinylpyrrolidone) and dextran system. J. Phys. Chem. 89, 1551-1555.
- 53. Harper, G.S., Comper, W.D., Preston, B.N. and Daivis, P. (1985) Concentration dependence of proteoglycan diffusion. Biopolymers. 24.

2165-2173.

- 54. Comper, W.D., Preston, B.N. and Daivis, P. (1986) The approach of dextran mutual diffusion coefficients to molecular weight independence in semi dilute solutions of polydisperse dextran fractions. J Phys. Chem. 90, 128-132.
- Comper, W.D., Pratt, L. and Handley, C.J. (1987) Cell transport in model extracellular matrices. Arch. Biochem. 252, 60-70.
- 56. Comper, W.D., Williams, R.P.W., Checkley, G.J. and Preston, B.N. (1987) Stability analysis in diffusion-convection systems with and without cross diffusion. J. Phys. Chem. 91, 993-1000.
- 57. Williams, R.P.W. and Comper, W.D. (1987) Osmotic flow caused by non-ideal macromolecular solutes. J. Phys. Chem. <u>91</u>, 3443-3448.
- 58. Comper, W.D. and Williams, R.P.W. (1987) Hydrodynamics of concentrated proteoglycan solutions. J. Biol. Chem. 262, 13464-13471.
- 59. Ghosh, S. and Comper, W.D. (1988) Oriented fibrillogenesis of collagen in vitro by ordered convection. Conn. Tiss. Res. 17, 33-41.
- 60. Bolis, S., Handley, C.J. and Comper, W.D. (1989). Passive loss of proteoglycan from articular cartilage explants. Biochim. Biophys. Acta 993, 157-167.
- 61. Comper, W.D. and Zamparo, 0. (1989) Hydraulic conductivity of polymer matrices. Biophys. Chem. 34, 127-135.
- 62. Van Damme, M.P., Murphy, W.H., Comper, W.D., Preston, B.N. and Winzor D.J. (1989). Evaluation of non-ideality from gel chromatography partition coefficients by gel chromatography a technique with greater versatility than equilibrium dialysis. Biophys. Chem. 33, 115-125.
- 63. Vassiliou, P., Tay, M. and Comper, W.D. (1989). Partial ischemia and proteinuria during isolated kidney perfusion is accompanied by the release of vascular [35S]heparan sulfate. Biochem. Int. 19, 1241-1251.
- 64. Zamparo, O. and Comper, W.D., (1989). Hydraulic conductivity of chondroitin sulfate proteoglycan solutions. Arch. Biochem. Biophys. 274, 259-269.
- 65. Comper, W.D. (1990) Extracellular matrix interactions: Sulfation of connective tissue polysaccharides creates macroion binding lemplates and conditions for dissipative structure formation. J. Theor. Biol. 145, 497-509.

97%

- 66. Comper, W.D. and Williams, R.P.W. (1990) Osmotic flow caused by chondroitin sulfate proteoglycan across well defined Nuclepore membranes. Biophys. Chem. 36, 215-222.
- 67. Comper, W.D. and Zamparo, O. (1990) The hydrodynamic properties of connective tissue polysaccharides. Biochem. J. 269, 561-564.
- Newman, S.A. and Comper, W.D. (1990) Generic mechanisms for morphogenesis and pattern formation development. Development <u>110</u>, 1-26.
- 69. Tay, M., Comper, W.D. Vassiliou, P., Glasgow, E.F. Baker M.S. and Pratt, L. (1990). The inhibitory action of oxygen radical scavengers on proteinuria and glomerular heparan sulfate loss in the isolated perfused kidney. Biochem. Int. 20, 767-778.
- 70. Williams, R.P.W. and Comper, W.D. (1990) Osmotic flow caused by polyelectrolytes. Blophys. Chem. <u>36</u>, 223-231.
- 71. Williams, R.P.W. and Comper, W.D. (1990) Appendix. The analogy between sedimentation equilibrium in the ultracentrifuge and osmotic water flow across membranes. Biophys. Chem. 36, 231-234.
- 72. Zamparo, O. and Comper, W.D. (1990) Model anionic polysaccharide matrices exhibit lower charge selectivity than is normally associated with kidney ultrafiltration. Biophys. Chem. 38, 167-178.
- 73. Tay, M., Comper, W.D., and Singh, A.K. (1991) Charge selectivity in kidney ultrafiltration is associated with glomerular uptake of transport probes. Am. J. Physiol. 260, F549-F554.
- 74. Zamparo, O. and Comper, W.D. (1991) The hydrodynamic frictional coefficient of polysacchandes: the role of the glycosidic linkage. Carbohydr. Res. 212, 193-200.
- 75. Comper, W.D. and Lyons, K.C. (1993) Non electrostatic factors govern the hydrodynamical properties of articular cartilage proteoglycan. Biochem. J. 289, 543-547.
- 76. Comper, W.D., Tay, M., Lee, A.S.N. and Adal, Y (1993) Anionic charge concentration of rat kidney glomerula and glomerular basement membrane. Biochem. J. 289, 647-652.
- 77. Wills, P., Comper, W.D. and Winzor, D.J. (1993) Thermodynamic nonideality in macromolecular solutions: Interpretation of virial coefficients. Arch. Biochem. Biophys. 300, 206-212.
- 78. Lyons, K. and Comper, W.D. (1993) Diffusion of tritiated water in

JUN-20-2002 11:36 3102609661 97% P.10

L12 04: 0444

- chondroitin sulfate solutions. Biophys. Chem. 47, 61-66.
- 79. Adal, Y., Pratt, L.M. and Comper, W.D. (1994) Transglomerular transport of DEAE-dextran in the isolated perfused kidney. Microcirculation 1, 169-174.
- 80. Comper, W.D. (1994) The thermodynamic and hydrodynamic properties of macromolecules that influence the hydrodynamics of porous systems. J. Theor. Biol. 168, 421-427.
- 81. Comper, W.D., Tay, M., Wells, X. and Dawes, J.(1994) Desulphation of dextran sulphate during kidney ultrafiltration. Biochem. J. 297, 31-34.
- 82. Vyas, S.V. and Comper, W.D. (1994) Dextran sulfate binding to isolated rat glomeruli and glomerular basement membrane. Biochim. Biophys. Acta 1201, 367-372.
- 83. Adal, Y., Smit, M.F., Osicka, T.M. and Comper, W.D. (1995) Albumin interaction with the glomerular capillary wall in vitro. Kidney Int. 47, 1031-1038.
- 84. Lyons, K.C., Andrews, F.J., Comper, W.D. and O'Brien, P.E. (1995) Sulphated macromolecules produced by in vivo labelling in the rat gastric mucosa. J. Gastroenterol. Hepatol. 10, 144-151.
- 85. Osicka, T. and Comper, W.D. (1995) Glomerular charge selectivity for neutral and anionic horseradish peroxidase. Kidney Int. <u>47</u>, 1630-1637.
- 86. Vyas, S.V., Parker, J-A and Comper, W.D. (1995) The uptake of dextran sulphate by glomerular intracellular vesicles during kidney ultrafiltration. Kidney Int. 47, 945-950.
- 87. Osicka, T.M., Pratt, L.M. and Comper, W.D. (1996) Glomerular capillary wall permeability to albumin and horseradish peroxidase. Nephrology 2, 199-212.
- 88. Smit, M.F. and Comper, W.D. (1996) A codiffusing system as a model for capillary wall charge selectivity. Biophys. Chem. <u>62</u>, 73-80.
- 89. Smit, M.F., Pratt, L.M. and Comper, W.D. (1996) Conformational dependence of the fractional clearance of dextran and Ficoll. Nephrology 2, 355-360.
- 90. Vyas, S.V., Burne, M.J., M.J., Pratt, L.M. and Comper, W.D. (1995) Glomerular processing of dextran sulfate during transcapillary transport. Arch. Biochem. Biophys. 332, 205-212.
- 91. Vyas, S.V., Smit, M.F., Pratt, L.M. and Comper, W.D. (1997)

97%

30/1/2002 3-10-

حجب. ب⊷. عدد

- Competition between polyanions in glomerular binding and renal clearance. Arch Biochem. Biophys. 340, 257-264.
- 92. Lyons, K.C., Andrews, F.J., Comper, W.D. and O'Brien, P.E. (1997) Changes in sulfated macromolecules produced in vivo during normal and indomethacin delayed ulcer healing in rats. Dig. Dis. Sci. 42, 1755-1764.
- 93. Osicka, T.M. and Comper, W.D. (1997) Protein degradation during renal passage in normal kidneys is inhibited in experimental albuminuria. Clin. Sci. 93, 65-72.
- 94. Jerums, G., Panagiotopoulos, S., Tsalamandris, C., Allen, T.J., Gilbert, R.E., Comper, W.D. (1997) Why is proteinuria such an important risk factor for progression in clinical trials? Kldney Int. <u>S63</u>, S87-S92.
- 95. Osicka, T.M., Panagiotopoulos, S., Jerums, J. and Comper, W.D. (1997) The fractional clearance of albumin is influenced by its degradation during renal passage. Clin. Sci. 93, 557-564.
- 96. Burne, M.J., Adal, Y., Cohen, N., Panagiotopoulos, S., Jerums, G. and Comper, W.D. (1998) Anomalous decrease in dextran sulfate fractional clearance in the diabetic rat kidney. Am. J. Physiol. 274, 700-708.
- 97. Burne, M.J., Panagiotopoulos, S., Jerums, J. and Comper, W.D. (1998) Alterations in renal degradation of albumin in early experimental diabetes: a new factor in the mechanism of albuminuria. Clin. Sci. 95, 67-72.
- 98. Osicka, T.M. and Comper, W.D. (1998) Tubular inhibition destroys charge selectivity for anionic and neutral horseradish peroxidase. Biochim. Biophys. Acta 1381, 170-178.
- 99. Burne, M.J., Osicka, T.M. and Comper, W.D. (1999) Fractional clearance of high molecular weight proteins in conscious rats using a continuous infusion method. Kidney Int 55, 261-270.
- 100. Eppel, G.A., Osicka, T.M., Pratt, L.M., Jablonski, J., Howden, B., Glasgow, E.F. and Comper, W.D. (1999) The return of glomerular filtered albumin to the rat renal vein. Kidney Int. 55, 1861-1870.
- Osicka, T.M., Hankin, A.R. and Comper, W.D. (1999) Puromycin aminonucleoside nephrosis results in a marked increase in fractional clearance of albumin. Am J. Physiol. 277, F139-F145.
- 102. Burne, M.J., Osicka, T.M. and Comper, W.D. (1999) Are fractional clearances overestimated? Reply Kidney Int. <u>56</u>, 2309-2310.

بحجوز وجوز عارك

103. Osicka, T.M., Yu, Y., Panagiotopoulos, S., Clavant, S.P., Kiriazis, Z., Pike, R.N., Pratt, L.M., Russo, L.M., Kemp, B.E., Comper, W.D. and J rums. G. (2000) Prevention of albuminuria by aminoguanidine or ramipril in STZ-diabetic rats is associated with the normalisation of glomerular protein kinase C. Diabetes 49, 87-93.

. WALL 111

- 104. Eppel, G.A., Takazoe, K., Nikolic-Paterson, D.J., Lan, H.Y., Atkins, R.C. and Comper, W.D. (2000) Characteristics of albumin processing during renal passage in anti-Thy 1 and anti-GBM glomerulonephritis. Am. J. Kid. Dis. 35, 418-426.
- 105. Comper, W.D., Eppel, G.A., Osicka, T.M., Glasgow, E.F. and Jablonski, P. (2000) Renal handling of albumin in normal rat- Reply from authors. Kidney Int. <u>57</u>, 1208-1209.
- 106. Osicka, T.M., Houlihan, C.A., Chan, J.G., Jerums, G. and Comper, W.D. (2000) Albuminuria in patients with type I diabetes is directly linked to changes in the lysosomal-mediated degradation of albumin during renal passage. Diabetes 49, 1579-1584.
- 107. Eppel, G.A., Nagy, S., Jenkins, M.A., Tudball, R.N., Daskalakis, M., Balazs, N.D.H. and Comper, W.D. (2000) Variability of standard clinical protein assays in the analysis of a model unne solution of fragmented albumin. Clin. Biochem. 33, 487-494.
- Osicka, T.M., Kiriazis, Z., Pratt, L.M., Jerums, G. and Comper, W.D. (2001) Ramipril and aminoguanidine restore renal lysosomal processing in streptozotocin diabetic rats. Diabetologia 44, 230-236.
- 109. Nikolic-Paterson, D.J., Hurst, L.A. and Comper, W.D. (2001) Variable toxicity of dyes used in micropuncture studies. Nephrology (in press)
- 110. Eppel, G.A., Osicka, T. M., Pratt, L.M., Jablonski, J., Howden, B., Glasgow, E.F. and Comper, W.D. (2001) The return of glomerular filtered albumin to the rat renal veln- the albumin retrieval pathway. Renal Failure (in press)
- 111. Greive, K.A., Eppel, G.A., Gerreyn, S., Smith, A.I., Jerums, G. and Comper, W.D. (2001) Immuno-unreactive albumin has enhanced excretion in STZ diabetic rats. Am. J. Kid. Dis. (July Issue)
- 112. Greive, K. A., Balazs, N.D. H. and Comper, W. D. (2001) Protein fragments in urine have been considerably underestimated by various protein assays. Clin. Chem. (September issue)
- 113. Greive, K.A., Nikolic-Paterson, D. J., Guimarães, M.A.M., Nikolovski, J., Pratt, L. M., Mu, W., Atkins, R. C. and Comper, W. D. (2001) Glomerular permselectivity factors are not responsible for the increase

JUN-20-2002 11:36 3102609661 97% P.13

<u>414 04, 0444</u>

- in fractional clearance of albumin in rat glomerulonephritis. Am. J. Pathol. (September issue)
- 114. Greive, K.A., Osicka, T.M., and Comper, W.D. (2001) Nephrotic-like proteinuria in experimental diabetes. Diabetologia (under review)
- 115. Russo, L. M., Osicka, T. M., Jerums, G. and Comper, W. D. (2001) Hypertension-related kidney disease is linked to altered renal lysosomal processing of albumin. Hypertension (under review)
- Comper, W.D. (2001) Charge selectivity is a concept that has yet to be demonstrated, Am. J. Physiol. (in press)
- 117. Guimarães, M. A. M., Greive, K. A., Pratt, L. M., Whisstock, J. and Comper, W. D. (2001) Glomerular charge selectivity in vivo as studied with charged cellulose and Ficolls. Biophys. J. (under review)
- 118. Nikolovski, J., Greive, K.A. and Comper, W.D. (2001) Differential renal processing of albumin as compared to low molecular weight proteins. Am. J. Physiol. (under review)
- 119. Eppel, G.A., Pratt, L.M., Greive, K.A. and comper, W.D. (2001) Exogenous albumin peptides influence the processing of albumin during renal passage. Nephron (under review)
- 120. Clavant, S.P., Greive, K.A., Nikolovski, J., Osicka, T.M., Reeve, S., Smith, A.I. and Comper, W.D. (2001) albumin fragments in normal rat urine are derived from rapidly degraded filtered albumin. Biochim. Biophys. Acta (under review)

# Conference research papers

- 121. Preston, B.N., Comper, W.D., Checkley, G.J. and Harper, G.S. (1981) "Structured flows in polysaccharide solutions" VIth International Symposium on Glycocojugates, Tokyo (Yamakawa, T., Osawa, T. and Handa, S. eds) Japan Scientific Societies Press, Tokyo pp 142-143.
- 122. Preston, B.N., Laurent, T.C., Comper, W.D. and Checkley, G.J. (1981). "Further studies on the kinetics of structured flows of poly(vinyl-pyrrolidone)-dextran systems" Proc. 2nd Australia Thermodynamic Conference pp 516-525.
- Harper, G.S., Comper, W.D., Preston, B.N. and Robinson, H.C., (1983). Changes in proteoglycan aggregates extracted from swarm rat chondrosarcoma passaged in different strains. viith Int. Symp. on Glycocojugates, Lund (Ch ster, M.A., Heinegard, D., Lundblad, A. and Svenson, S. eds) Rahms I Lund, Sweden, pp 800-801.

- 124. Troup, G.J.F. and Comper, W.D. (1988) Velocity field in a growing polymer "finger" by laser speckle photography. SPIE Proceed. Vol 814. Int. Conf. n Photomechanics and Speckle Metrology San Diego 1987 pp. 734-737.
- 125. Comper, W.D. and Williams, R.P.W. (1988) The properties of concentrated proteoglycan solutions. Proceedings 19th Yamada Science Foundation on Ordering and Organisation in Ionic Solutions. Kyoto, Japan. (Ise. N. and Sogami, I. eds) World Scientific, Singapore. pp 157-164.
- 126. Comper, W.D. (1991) Mechanism of osmotic flow. In Swelling Mechanics: From Clays to Living Cells and Tissues. (Mow, V.C. and Karalis, T.K. eds) NATO Advanced Research Workshop pp 19-22.
- 127. Osicka, T.M and Comper, W.D. (1996) Renal albumin excretion is explained by glomerular size selectivity and rapid tubular reabsorption. 6th World Congress for Microcirculation. Messmer, K. and Kübler, W.M. eds., Munich, pp951-957.